





| 尺寸                                                              | W3<br>(mm) | ΦC<br>(mm) | 料盘/<br>(pcs) | 内盒         |                 | 外箱         |                 |
|-----------------------------------------------------------------|------------|------------|--------------|------------|-----------------|------------|-----------------|
|                                                                 |            |            |              | 料盘数<br>(只) | 最大包装数量<br>pcs/盒 | 内盒数<br>(只) | 最大包装数量<br>pcs/箱 |
| Φ4×5.4~5.8                                                      | 14         | 382        | 2000         | 8          | 16000           | 3          | 48000           |
| Φ5×5.4~5.8, Φ5×5.7                                              | 14         | 382        | 1200         | 8          | 9600            | 3          | 28800           |
| Φ4×7.7, Φ5×7.7~7.9, Φ5×8.5                                      | 18         | 382        | 900          | 6          | 5400            | 3          | 16200           |
| Φ5×9.5, Φ5×10, Φ5.5×9                                           | 18         | 382        | 700          | 6          | 4200            | 3          | 12600           |
| Φ5×11, Φ5×12, Φ5×13                                             | 18         | 382        | 500          | 6          | 3000            | 3          | 9000            |
| Φ5×15.5, Φ5.5×15.5                                              | 18         | 382        | 350          | 6          | 1750            | 3          | 5250            |
| Φ6.3×3.95, Φ6.3×4.5                                             | 18         | 382        | 1500         | 6          | 9000            | 3          | 27000           |
| Φ6.3×5.4~5.8, Φ6.3×6.1                                          | 18         | 382        | 1200         | 6          | 7200            | 3          | 21600           |
| Φ6.3×7.7                                                        | 18         | 382        | 900          | 6          | 5400            | 3          | 16200           |
| Φ6.3×8, Φ6.3×8.5, Φ6.3×9                                        | 18         | 382        | 800          | 6          | 4800            | 3          | 14400           |
| Φ6.3×9.5, Φ6.3×10                                               | 18         | 382        | 700          | 6          | 4200            | 3          | 12600           |
| Φ6.3×11, Φ6.3×12, Φ6.3×13                                       | 18         | 382        | 500          | 6          | 3000            | 3          | 9000            |
| Φ6.3×16.5                                                       | 18         | 382        | 350          | 5          | 1750            | 3          | 5250            |
| Φ8×5.7~6.2, Φ8×6.9                                              | 26         | 382        | 800          | 5          | 4000            | 3          | 12000           |
| Φ8×7.7~7.9                                                      | 26         | 382        | 600          | 5          | 3000            | 3          | 9000            |
| Φ8×8.5, Φ8×9, Φ8×10.5                                           | 26         | 382        | 500          | 5          | 2500            | 3          | 7500            |
| Φ8×11, Φ8×11.5, Φ8×12.5                                         | 26         | 382        | 400          | 5          | 2000            | 3          | 6000            |
| Φ8×13.5                                                         | 26         | 382        | 400          | 5          | 2000            | 3          | 6000            |
| Φ8×14.5, Φ8×15                                                  | 26         | 382        | 350          | 5          | 1750            | 3          | 5250            |
| Φ8×16.5, Φ8×17, Φ8×18                                           | 26         | 382        | 350          | 5          | 1750            | 3          | 5250            |
| Φ8×20.5                                                         | 26         | 382        | 175          | 5          | 875             | 3          | 2625            |
| Φ10×5.7~6.9, Φ10×6.7                                            | 26         | 382        | 800          | 5          | 4000            | 3          | 12000           |
| Φ10×7.7~8.4, Φ10×7.5, Φ10×8.5                                   | 26         | 382        | 600          | 5          | 3000            | 3          | 9000            |
| Φ10×9, Φ10×10, Φ10×10.5                                         | 26         | 382        | 500          | 5          | 2500            | 3          | 7500            |
| Φ10×12, Φ10×13.5, Φ10×14                                        | 26         | 382        | 400          | 5          | 2000            | 3          | 6000            |
| Φ10×14.5, Φ10×15                                                | 26         | 382        | 350          | 5          | 1750            | 3          | 5250            |
| Φ10×16.5, Φ10×17, Φ10×18                                        | 26         | 382        | 300          | 5          | 1500            | 3          | 4500            |
| Φ10×19, Φ10×21, Φ10×22                                          | 34         | 382        | 175          | 4          | 700             | 3          | 2100            |
| Φ12.5×10, Φ12.5×12, Φ12.5×13,<br>Φ12.5×13.5, Φ12.5×14, Φ12.5×15 | 34         | 382        | 250          | 4          | 1000            | 3          | 3000            |
| Φ12.5×16, Φ12.5×16.5, Φ12.5×17                                  | 34         | 382        | 200          | 4          | 800             | 3          | 2400            |
| Φ12.5×18.5, Φ12.5×19, Φ12.5×21                                  | 34         | 382        | 175          | 4          | 700             | 3          | 2100            |
| Φ16×16.5, Φ16×17                                                | 46         | 382        | 150          | 3          | 450             | 3          | 1350            |
| Φ16×21.5(21)                                                    | 46         | 382        | 120          | 3          | 360             | 3          | 1080            |
| Φ18×16.5                                                        | 46         | 382        | 150          | 3          | 450             | 3          | 1350            |
| Φ18×21.5(21)                                                    | 46         | 382        | 120          | 3          | 360             | 3          | 1080            |



| 产品尺寸       |         | 长引线品 |       |       | 引线加工品 |       |       | 编带品  |       |
|------------|---------|------|-------|-------|-------|-------|-------|------|-------|
| 直径         | 高度      | 袋装   | 盒装    | 箱装    | 袋装    | 盒装    | 箱装    | 盒装   | 箱装    |
| Φ3.5<br>Φ4 | 7以下     | 1000 | 12000 | 72000 | 1000  | 20000 | 80000 | 3000 | 30000 |
|            | 7~12    | 1000 | 10000 | 60000 | 1000  | 10000 | 60000 | 3000 | 30000 |
| Φ5         | 7以下     | 1000 | 10000 | 60000 | 1000  | 18000 | 72000 | 2100 | 21000 |
|            | 7~12    | 1000 | 6000  | 36000 | 1000  | 6000  | 36000 | 2100 | 21000 |
| Φ6.3       | 7以下     | 1000 | 10000 | 60000 | 1000  | 12000 | 48000 | 1700 | 17000 |
|            | 7~9     | 1000 | 8000  | 32000 | 1000  | 8000  | 32000 | 1700 | 17000 |
|            | 10~14   | 1000 | 4000  | 24000 | 1000  | 7000  | 28000 | 1700 | 17000 |
|            | 15      | 1000 | 5000  | 20000 | 1000  | 5000  | 20000 | 1700 | 17000 |
|            | 20      | 750  | 4500  | 18000 | 750   | 3750  | 15000 | 1700 | 1360  |
| Φ8         | 5~10    | 500  | 6000  | 24000 | 500   | 5000  | 20000 | 984  | 9840  |
|            | 11~12   | 500  | 4000  | 16000 | 500   | 4000  | 16000 | 984  | 9840  |
|            | 13~14   | 500  | 4000  | 16000 | 500   | 4000  | 16000 | 984  | 9840  |
|            | 15~20   | 500  | 3000  | 12000 | 500   | 3000  | 12000 | 984  | 7872  |
|            | 23~25   | 400  | 1600  | 6400  | 500   | 2000  | 8000  | 984  | 7872  |
|            | 26~30   | 400  | 1600  | 6400  | 400   | 1600  | 6400  | -    | -     |
|            | 31~35   | 350  | 1400  | 5600  | 350   | 1400  | 5600  | -    | -     |
|            | 40~44   | 300  | 1200  | 4800  | 300   | 1200  | 4800  | -    | -     |
|            | 50      | 250  | 1000  | 4000  | 250   | 1000  | 4000  | -    | -     |
| Φ10        | 5~12.5  | 500  | 3000  | 12000 | 500   | 3000  | 12000 | 672  | 6720  |
|            | 13~14   | 500  | 2500  | 10000 | 500   | 2500  | 10000 | 672  | 6720  |
|            | 15~18   | 500  | 2000  | 8000  | 500   | 2000  | 8000  | 672  | 6720  |
|            | 19~22   | 250  | 2000  | 8000  | 250   | 1750  | 7000  | 672  | 5376  |
|            | 23~25   | 250  | 1000  | 6000  | 250   | 1500  | 6000  | 672  | 5376  |
|            | 30      | 150  | 1200  | 4800  | 150   | 1200  | 4800  | -    | -     |
|            | 35      | 150  | 900   | 3600  | 150   | 900   | 3600  | -    | -     |
|            | 40~44   | 150  | 750   | 3000  | 150   | 750   | 3000  | -    | -     |
|            | 50~55   | 150  | 600   | 2400  | 150   | 600   | 2400  | -    | -     |
| Φ12.5      | 10~13   | 200  | 1200  | 7200  | 200   | 1600  | 6400  | 440  | 4400  |
|            | 14~15   | 150  | 1200  | 7200  | 200   | 1600  | 6400  | 440  | 4400  |
|            | 16~17   | 125  | 1000  | 6000  | 200   | 1600  | 6400  | 440  | 4400  |
|            | 18~22   | 100  | 800   | 4800  | 175   | 1400  | 5600  | 440  | 3520  |
|            | 23~25   | 100  | 1000  | 4000  | 150   | 1200  | 4800  | 440  | 3520  |
|            | 30      | 100  | 600   | 3600  | 100   | 800   | 3200  | -    | -     |
|            | 35~40   | 100  | 600   | 2400  | 100   | 800   | 3200  | -    | -     |
|            | 45~50   | 100  | 400   | 1600  | 75    | 600   | 2400  | -    | -     |
| Φ13        | 23~26   | 100  | 1000  | 4000  | -     | -     | -     | -    | -     |
| Φ16        | 16~18   | 75   | 150   | 1200  | 75    | 150   | 1200  | -    | -     |
|            | 20~26   | 60   | 120   | 960   | 60    | 120   | 960   | -    | -     |
|            | 30~31.5 | 55   | 110   | 880   | 55    | 110   | 880   | -    | -     |
|            | 35.5~36 | 50   | 100   | 800   | 50    | 100   | 800   | -    | -     |
|            | 40      | 45   | 90    | 720   | 45    | 90    | 720   | -    | -     |
|            | 45~50   | 42   | 84    | 672   | 42    | 84    | 672   | -    | -     |
| Φ18        | 16~19   | 75   | 150   | 1200  | 75    | 150   | 1200  | -    | -     |
|            | 20~26   | 54   | 108   | 864   | 54    | 108   | 864   | -    | -     |
|            | 30~36   | 51   | 102   | 612   | 51    | 102   | 612   | -    | -     |
|            | 40      | 45   | 90    | 540   | 45    | 90    | 540   | -    | -     |
|            | 45      | 42   | 84    | 504   | 42    | 84    | 504   | -    | -     |
|            | 50      | 35   | 70    | 420   | 35    | 70    | 420   | -    | -     |



| 产品尺寸 |         | 长引线品 |     |     | 引线加工品 |     |     | 编带品 |    |
|------|---------|------|-----|-----|-------|-----|-----|-----|----|
| 直径   | 高度      | 袋装   | 盒装  | 箱装  | 袋装    | 盒装  | 箱装  | 盒装  | 箱装 |
| Φ20  | 16~21.5 | 51   | 102 | 612 | 51    | 102 | 612 | -   | -  |
|      | 25~28   | 45   | 90  | 540 | 45    | 90  | 540 | -   | -  |
|      | 29~32   | 42   | 84  | 504 | 42    | 84  | 504 | -   | -  |
|      | 35~37   | 40   | 80  | 480 | 40    | 80  | 480 | -   | -  |
|      | 40~45   | 35   | 70  | 420 | 35    | 70  | 420 | -   | -  |
|      | 50      | 30   | 60  | 360 | 30    | 60  | 360 | -   | -  |
| Φ22  | 16~21.5 | 51   | 102 | 612 | 51    | 102 | 612 | -   | -  |
|      | 25~28   | 45   | 90  | 540 | 45    | 90  | 540 | -   | -  |
|      | 29~32   | 40   | 80  | 480 | 40    | 80  | 480 | -   | -  |
|      | 35~37   | 38   | 76  | 456 | 38    | 76  | 456 | -   | -  |
|      | 40~41   | 32   | 64  | 384 | 32    | 64  | 384 | -   | -  |
|      | 45      | 30   | 60  | 360 | 30    | 60  | 360 | -   | -  |
|      | 50      | 25   | 50  | 300 | 25    | 50  | 300 | -   | -  |
| Φ25  | 26      | 32   | 64  | 384 | 32    | 64  | 384 | -   | -  |
|      | 30~32   | 30   | 60  | 360 | 30    | 60  | 360 | -   | -  |
|      | 35~41   | 25   | 50  | 300 | 25    | 50  | 300 | -   | -  |
|      | 45      | 20   | 40  | 240 | 20    | 40  | 240 | -   | -  |

\*注：引线加工品包装数量为参考值，具体包装数量以实际为准。